

# INDEX MAPS.

## T.23N. R.14E. 2<sup>nd</sup> Mer.

	46		47		47		47		48		48	
50	6	70	5	65	4	61	3	57	2	54	1	46
	70		69		64		61		57		54	
50	7	69	8	64	9	60	10	57	11	53	12	46
	69		68		64		60		56		53	
50	18	68	17	63	16	60	15	56	14	53	13	45
	68		67		63		59		56		52	
49	19	67	20	63	21	59	22	56	23	52	24	45
	67		66		62		59		55		51	
49	30	66	29	62	28	58	27	55	26	51	25	45
	65		65		62		58		55		51	
49	31	65	32	61	33	58	34	54	35	50	36	45
	44		44		43		43		43		43	

## T.24N. R.14E. 2<sup>nd</sup> Mer.

	79		78		78		78		77		77	
80	6	101	5	96	4	92	3	88	2	84	1	76
	101		100		96		92		88		84	
80	7	100	8	96	9	92	10	88	11	84	12	76
	100		99		95		91		87		83	
80	18	99	17	95	16	91	15	87	14	83	13	76
	102		102		94		91		87		83	
79	19	102	20	94	21	90	22	86	23	82	24	75
	99		98		94		90		86		82	
79	30	98	29	94	28	90	27	86	26	82	25	75
	98		97		93		89		85		81	
79	31	97	32	93	33	89	34	85	35	81	36	75
	73		73		73		73		74		74	

Mendocino 103

(P The figures on the lines refer to the page.

43

Township 23 North, Range 14 East 2<sup>nd</sup> Mer. Ind<sup>a</sup>

ch. 4th. South Boundary. Var. 5° 50' E.

West On S. side of Sec. 36.  
 40.00 Set gr. Sec. post, from which  
 a Beech 8 in. dia. bears S 84 E. 16 lks. dist. X  
 a Do. 20 " " " N 71 W. 9 " "  
 80.00 Set post loc. to Sec. 35 & 36, fr. which  
 an Ironwood 6 in. dia. bears N 58 W. 5 lks. dist.  
 & a Hickory 7 " " " S 74 E. 16 lks. dist.  
 Land, level. Timb. Beech, Ash &c.

West On S. side of Sec. 35.  
 40.00 Set gr. Sec. post, from which  
 a Birch 8 in. dia. bears N 72 E. 18 lks. dist. X  
 a Do. 12 " " " N 66 W. 32 " "  
 62.90 an Oak 13 " " (Dec. 22<sup>nd</sup> 1822.)  
 80.00 Set post loc. to Sec. 35 & 34, from which  
 a Beech 8 in. dia. bears N 83 E. 14 lks. dist. X  
 a Do. 8 " " " S 34 W. 17 " "  
 Land same.

West On S. side of Sec. 34.  
 40.00 Set gr. Sec. post, from which  
 a Beech 10 in. dia. bears N 84 E. 13 lks. dist. X  
 a Do. 10 " " " S 81 W. 9 " "  
 50.00 an Elm 12 in. dia.  
 76.50 a Creek 40 lks. wide Course N.  
 80.00 Set post loc. to Sec. 33 & 34, fr. which  
 a Elm 8 in. dia. bears S 8 E. 40 lks. dist. X  
 a Do. 12 " " " N 68 W. 20 " "  
 Land, as before.

West On S. side of Sec. 33.  
 31.80 an Elm 13 in. diam.  
 40.00 Set gr. Sec. post, from which  
 a Beech 8 in. dia. bears S 56 E. 7 lks. dist. X

144 S. 23 N. R. 14 E. 2<sup>nd</sup> Mer. Ind.  
Ch. M.

80.00 a Beech 10 in. dia. bears S 42 W, 7 lb. dist.  
Set post cor. to sec. 32 & 33, from wh.  
a Beech 10 in. dia. bears N 47 E, 10 lb. dist. &  
a R. Oak 18 " " " S 71 W, 30 " "  
Land as before.

---

West On S. Side of sec. 32.

8.00 a Brook 8 lb. wide course N.

20.50 a Beech 14 in. diam.

40.00 Set cor. sec. post, from which  
a " 12 in. dia. bears N 17 W, 16 lb. dist. &  
a " 8 " " " N 76 E, 28 " "

79.50 a Creek 30 lb. wide course N. E.

80.00 Set post cor. to sec. 31 & 32, from which  
a Buckeye 8 in. dia. bears N 44 E, 32 lb. dist.  
an Elm 8 " " " S 44 W, 13 " "  
Land as before.

---

West On S. side of sec. 31.

40.00 Set cor. sec. post, from which  
a Beech 8 in. dia. bears S 56 E, 18 lb. dist. &  
a Hickory 18 in. dia. " N 57 W, 9 " "

97.00 a Brook 7 lb. wide course N. W.

98.80 Intersect N. & S. line between Ranges  
13 & 14 East 571 lb. E. of temp. 3. post.  
& Set post cor. to towns 22 & 23 N. R. 13  
& 14 E. from which  
a Beech 10 in. dia. bears S 8 E, 24 lb. dist. &  
a Dog 14 " " " N 51 W, 29 " "  
Land as before.

Surveyed in 1819.

By John M. C. Donald, Dep. Sur.

---

East Boundary.

Var. 6° E.

North On E. side of sec. 36.

S. 23 N. R. 14 E. 2<sup>nd</sup> Ma. Ind.<sup>a</sup> 45

- 27.00 a Brook 7 ft. wide to N. W.  
40.00 Set gr. sec. post, from which  
a Hickory 10 in. dia. bears N 67 W. 26 ft. dist.  
an Oak 12 " " " S 63 E. 6 " "  
80.00 Set post betw. sec. 25 & 26, from which  
an Ash 24 in. dia. bears N 88 E. 23 ft. dist. X  
a Hickory 13 in. " " N 73 W. 13 " "  
Land, level & wet. Timb. Beech Ash,  
Cedar &c. Mud. 8 ft. Spice.
- 

North on E. Side of sec. 25.

- 19.55 an Elm 24 in. diam.  
40.00 Set gr. sec. post, from which  
a Beech 8 in. dia. bears S 24 W. 13 ft. dist. X  
a Do. 14 " " " N 45 E. 7 ft. dist.  
61.80 a Sugar 14 in. diam.  
77.00 a Creek 50 ft. wide course N. W.  
80.00 Set post betw. to sec. 24 & 25, fr. wh.  
a Willow 7 in. dia. bears N 25 W. 21 ft. dist. X  
a Walnut 8 " " " S 57 E. 29 " "  
Land, same.
- 

North on E. Side of sec 24.

- 29.25 an Ash 20 in. diam.  
40.00 Set gr. sec. post, from which  
a Sugar 12 in. dia. bears N 38 W. 15 ft. dist. X  
a Birch 13 " " " S 4 E. 47 " "  
68.05 a Maple 14 in. diam.  
80.00 Set post betw. to sec. 13 & 24, fr. wh.  
an Ash 14 in. dia. bears N 15 W. 8 ft. dist. X  
a Beech 12 " " " N 14 W. 12 " "  
Land, as before.
- 

North on E. side of sec. 13.

- 21.40 a Beech 12 in. diam.  
40.00 Set gr. sec. post, from which



46 T. 23 N. R. 14 E. 2<sup>nd</sup> Mer. Ind. a

ch. 4th a Beech 6 in. dia. bears S 4 E. 24 lb. dist. X  
an Oak 8 in. " " N 1 W. 25 " "  
80.00 Set post Cor. of Sec. 12 & 13, from which  
a Beech 10 in. dia. bears S 9 W. 46 lb. dist. X  
a Do. 20 " " " N 37 E. 15 " "  
Land, as before.

North On E. side of Sec. 12.

40.00 Set q. sec. post, from which  
a Beech 10 in. dia. bears S 2 E. 34 lb. dist.  
a Do 8 " " " N 16 E. 38 " "  
42.50 a Sugar 14 " "  
80.00 Set post Cor. to Sec. 1 & 12, fr. which  
a Beech 14 in. dia. bears S 28 E. 16 lb. dist. X  
a Do. 18 " " " N 66 W. 12 " "  
Land, level dry. Timber: Beech, Ash,  
Sugar Oak &c.

North On E. side of Sec. 1.

15.25 an Elm 18 in. diam.  
40.00 Set q. sec. post, from which  
an Elm 10 in. dia. bears S 53 W. 3 lb. dist. X  
an Oak 10 " " " N 62 E. 23 " "  
(80.00 To Town corner.)  
Surveyed in 1819.  
By John Mc Donald, D. S.

North Boundary.

East On S. side of Sec. 31, T. 24 N. R. 14 E.  
23.14 a Beech 10 in. diam.  
40.00 Set q. sec. post, from which  
a Beech 10 in. dia. bears S 4 W. 8 lb. dist. X  
a Do. 18 " " " N 74 E. 38 " "  
59.00 a Brook 10 lb. wide course N. E.  
78.63

47

T. 23 N. R. 14 E. 2<sup>nd</sup> Mer. Ind. a

Ch. Sh.

80.00 Set post Cor. to Sec. 31 & 32, from wh.  
a Sugar 9 in. dia. bears N 87 E. 8 lb. dist. &  
a Do. 12 " " " N 45 W. 25 " "  
Land, Rich. Limb. Beech, Oak, -  
Vickory &c.

East on S. Side of Sec. 32. T. 24 N. R. 14 E.  
20.00 a Brook 10 lb. wide course N. E.

40.00 Set q. sec. post, from which  
a Sugar 8 in. dia. bears N 31 E. 37 lb. dist. &  
a Do. 18 " " " S 64 W. 38 " "

68.50 a Brook 10 lb. wide course N. E.

80.00 Set post Cor. to Sec. 32 & 33, from wh.  
an Ash 18 in. dia. bears N 70 E. 27 lb. dist. &  
a Maple 4 " " " S 21 W. 8 " "  
Land, same as last.

East on S. Side of Sec. 33 T. 24 N. R. 14 E.

15.00 a Brook 10 lb. wide course N. E.

40.00 Set q. sec. post, from which  
a wh. Oak 36 in. dia. bears N 36 E. 22 lb. dist. &  
a Beech 7 " " " S 55 W. 18 " "

78.56 a Do. 18 " "

80.01 Set post Cor. to Sec. 33 & 34, from wh.  
a Beech 24 in. dia. bears N 84 W. 19 lb. dist.  
a W. Oak 24 " " " S 43 E. 19 " "  
Land, same.

East on S. side of Sec. 34. T. 24 N. R. 14 E.

38.63 a Beech 24 in. dia.

40.00 Set q. sec. post from which  
a Vickory 12 in. dia. bears N 37 E. 22 lb. dist. &  
a Sugar 8 " " " S 30 W. 26 " "

74.63 a W. Oak 24 in. diam.

80.00 Set post Cor. to Sec. 34 & 35, from which  
a Beech 12 in. dia. bears N 82 E. 10 lb. dist. &

S. 23 N. R. 14 E. 2<sup>nd</sup> Mer. Ind.

ch. Lk.

a Beech 10 in. dia. bears S 67 W. 11 lb. dist.  
Land, same as before.

East	On S. side of sec. 35. T. 24 N. R. 14 E.
20.50	a brook 15 lb. wide course N. E.
39.29	a Beech 24 in. diam.
40.00	Set gr. sec. post. from which a Beech 18 in. dia. bears N 58 W. 11 lb. dist. X
	a Do. 12 " " " S 48 E. 29 " "
46.80	a Do. 18 " " " " " " " "
47.88	Intersect N & S. line between Ranges 14 & 15 East at temp. Town. post. and Set post for cor. of Town 23 N. R. 14 & 15 East from which a Sugar 24 in. dia. bears S 50 E. 20 lb. dist. X
	a Beech 20 " " " N 20 W. 26 " "
70.00	a brook 15 lb. wide course N. E.
80.00	Set post Cor. to Secs. 35 & 36, from which a Beech 24 in. dia. bears N 26 W. 29 lb. dist. an Ash 6 " " " S 80 W. 32 " " Land, as on last mile.

East	On S. side of sec. 36. T. 24 N. R. 14 E.
2.00	an Ash 12 in. dia.
40.00	Set gr. sec. post. from which a Beech 18 in. dia. bears N 22 W. 17 lb. dist. a Hickory 8 " " " N 22 E. 10 " "
61.00	a Hickory 18 in. diam.
80.00	Set post Cor. to Town 24 N. Ranges 14 & 15 East from which a Hickory 10 in. dia. bears North, 18 lb. a Do. 10 " " " S 55 W. 36 " dist. Land, Rich Beech Oak and Hickory &c. March 2 <sup>nd</sup> 1820.

John M. Donald, S.

49

T. 23 N. R. 14 E. 2<sup>nd</sup> Mer. Ind. a

ch. 10?

West Boundary.

Var. 5° 30' E.

North on E. side of Sec. 36. T. 23 N. R. 13 E.

2.00 a Brook 7 ft. wide course N. W.

32.85 an Elm 14 in. dia.

40.00 Set gr. Sec. post, from which  
a Sugar 12 in. dia. bears S 49 W. 9 ft. dist. &  
a Beech 7 " " " N 35 W. 7 " "

45.00 a Brook 7 ft. wide course N. E.

80.00 Set post cor. to Sec. 25 & 36, from which  
a Beech 14 in. dia. bears N 16 E. 29 ft. dist. &  
a Do. 12 " " " N 6 E. 24 " "  
Land, level Lim. Beech, Oak, Ash &c.

North on E. side of Sec. 25. T. 23 N. R. 13 E.

40.00 Set gr. Sec. post, from which  
a Beech 12 in. dia. bears N 10 W. 29 ft. dist. &  
a Do. 12 " " " N 21 W. 36 " "

62.85 a Do. 14 " "

79.50 a Creek 100 ft. wide course N. W.

80.00 Set post cor. to Sec. 24 & 25, from which  
a Wh. Oak 14 in. dia. bears N 11 W. 27 ft. dist.  
a Do. 10 " " " N 65 E. 47 " "  
Land, as before.

North on E. side of Sec. 24. T. 23 N. R. 13 E.

16.85 a Beech 12 in. dia.

40.00 Set gr. Sec. post, from which  
an Ash 9 in. dia. bears S 6 E. 29 ft. dist. &  
a Hickory 14 " " " N 43 W. 7 " "

63.80 a Beech 10 " "

80.00 Set post cor. to Sec. 13 & 24, fr. wh.  
a Beech 10 in. dia. bears S 61 W. 11 ft. dist.  
an Elm 12 " " " N 57 E. 6 " "  
Land as last mentioned.



50 S. 23 N. R. 14 E. 2<sup>nd</sup> Mer. Ind. a.

ch. 24.

North on E. side of Sec. 13. S. 23 N. R. 14 E.

40.00 Set gr. sec. post. from which  
a Beech 8 in. dia. bears S 94 W. 38 W. dist. 8  
an Elm 13 " " " S 51 E. 14 " "

51.00 an Ash 20 in. diam.

80.00 Set post cor. to sec. 12 & 13, fr. wh.  
a Beech 15 in. dia. bears S 104 W. 34 W. dist.  
a Buckeye 8 " " " N 20 W. 35 " "  
Land, as before.

---

North on E. side of Sec. 12. S. 23 N. R. 14 E.

8.25 an Oak 20 in. diam.

40.00 Set gr. sec. post. from which  
a Beech 10 in. dia. bears S 64 E. 15 W. dist. 8  
a Do. 8 " " " N 11 E. 21 " "

80.00 Set post cor. to sec. 1 & 12, fr. which  
an Ash 24 in. dia. bears S 93 E. 22 W. dist.  
a Beech 9 " " " N 29 W. 27 " "  
Land, as before.

---

North on E. side of Sec. 1. S. 23 N. R. 14 E.

13.80 an Oak 24 in. diam.

40.00 Set gr. sec. post. from which  
a Hickory 10 in. dia. bears S 41 W. 21 W. dist.  
an Ash 7 " " " N 49 E. 27 " "

60.20 a Beech 12 " "

79.10 Set post cor. at intersection of corner line  
a Beech 18 in. dia. bears N 29 W. 38 W. dist.  
a Ironwood 6 " " " S 25 E. 7 " "  
Land, as before.

December 23<sup>rd</sup> 1819.

John M. Donald, D. S.

---

Subdivision.

Var. 5° 45' E.

North Between Sec. 35 & 36.

57

S. 23 N. 16. 14 E. 2<sup>nd</sup> Mer. Ind.

ch. 9<sup>th</sup>

- 3.10 a Beech 14 in. dia.  
40.00 Set q. sec. post, from which  
a Hickory 16 in. dia. bears S 8 E. 19 lb. dist. X  
an Ash 7 " " " N 53 E 13 " "  
44.75 a Hickory 18 in. diam.  
64.96 a Do. 14 " "  
80.00 Set post loc. to sec. 25, 26, 35 & 36, fr. wh.  
a Beech 13 in. dia. bears S 3 W. 28 lb. dist.  
a wh. Oak 6 " " " N 3 W. 23 " "  
Land, level 2<sup>nd</sup> rate Beech Hickory  
and Ash &c.
- 

East on Random between sec. 25 & 36.

- 40.00 Set temp. q. sec. post.  
80.10 Intersect E. Boundary 65 lb. N. of N. of post.  
Land & Timber and before.
- 

West corner between sec. 25 & 36.

- 40.05 Set q. sec. post, from which  
a Hickory 18 in. diam. bears S 8 E. 18 lb. dist.  
an Ash 18 " " " N 79 W. 28 " "  
80.10 Sec. loc.
- 

North between Sections 25 & 26.

- 32.54 an Ash 14 in. dia.  
40.00 Set q. sec. post, from which  
a Beech 16 in. dia. bears N 40 W. 20 lb. dist. X  
an Elm 7 " " " S 6 E. 13 " "  
56.20 an Ash 33 in. diam.  
80.00 Set post loc. to sec. 23, 24, 25 & 26, fr. wh.  
an Elm 16 in. dia. bears S 14 E. 33 lb. dist. X  
an Elm 14 " " " N 7 W. 43 " "  
Land, 3<sup>rd</sup> rate.
- 

East on Random between sec. 24 & 25.

- 9.50 a Branch 20 lb. wide corner N. W.

52 S. 23 N. No. 14 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Ch<sup>l</sup> 4<sup>th</sup>  
40.00 Set gr. Sec. post, from which  
59.70 a Branch 18<sup>th</sup>. wide Course SW.  
80.52 Intersect N. & S. line 71<sup>th</sup>. N. of post.  
Land, level 2<sup>nd</sup> rate. Timb. Beech,  
A<sup>th</sup>. Hickory & Ch. Spice sup. A<sup>th</sup> &c.

West Correct line between Sect. 24 & 25.  
40.26 Set gr. Sec. post, from which  
an A<sup>th</sup> 18 in. dia. bears N 69 E, 28<sup>th</sup>. dist.  
a Do. 14 " " " S 89 W, 13 " "  
80.52 Sec. cor.

North Between Sections 23 & 24.  
3.00 a Stream 20<sup>th</sup>. wide Course W.  
8.25 a Hickory 14 in. diam.  
15.75 a Wh. Oak 72 " "  
40.00 Set gr. Sec. post, from which  
an Ch 20 in. dia. bears N 77 E, 23<sup>th</sup>. dist.  
a Beech 7 " " " S 89 W, 8<sup>th</sup>. dist.  
69.20 a No. Oak 30 in. diam.  
80.00 Set post cor. to Sect. 13, 14, 23 & 24, fr. wh.  
a Beech 14 in. dia. bears S 59 W, 11<sup>th</sup>. dist. &  
a Do. 9 " " " N 20 E, 10 " "  
Land, level 3<sup>rd</sup> rate.

East An Random between Sect. 13 & 24.  
40.00 Set temp. gr. Sec. post.  
80.25 Intersect N & S. line 61<sup>th</sup>. N. of post.  
Land and Timb. as before.

West Correct line between Sect. 13 & 24.  
40.12 Set gr. Sec. post, from which  
a Hickory 14 in. diam. bears N 69 W, 18<sup>th</sup>. dist. &  
an A<sup>th</sup> 12 " " " S 79 E, 24 " "  
80.25 Sec. cor.

Ch. W.

North Between Secs 13 & 14.

8.85 a Sugar 10 in. dia.  
 40.00 Set gr. Sec. post, from which  
 a Wh. Oak 14 in. dia. bears S 56 E. 38 lb. dist.  
 an Elm 18 in. dia. bears N 79 W. 25 " "  
 80.00 Set post, loc. to sec. 11, 12, 13 & 14, fr. wh.  
 an Ash 18 in. dia. bears S 42 E. 18 lb. dist. &  
 a Wh. Oak 20 " " " N 69 W. 23 " "  
 Land, level & 3<sup>rd</sup> rate. Oct. 17<sup>th</sup> 1822.

East On Random Between Secs 12 & 13.

40.00 Set temp. gr. Sec. post.  
 80.90 Intersect N & S. line 15 lb. N. of post.  
 Land and Timber as before.

West Corner between Secs 12 & 13.

40.45 Set gr. Sec. post from which  
 a Beech 18 in. dia. bears S 4 W. 16 lb. dist. &  
 a Do. 14 " " " N 43 W. 13 " "  
 80.90 Sec. loc.

North Between Sections 11 & 12.

28.75 a Beech 14 in. diam.  
 40.00 Set gr. Sec. post, from which  
 a Beech 10 in. dia. bears S 71 W. 33 lb. dist. &  
 a Sugar 26 " " " S 6 E. 22 " "  
 46.90 a Wh. Oak 36 in. diam.  
 80.00 Set post loc. to sec. 1, 2, 11 & 12. fr. which  
 a Beech 14 in. dia. bears N 59 W. 11 lb. dist. &  
 an Ash 8 " " " N 78 E. 3 " "  
 Land, level & 2<sup>nd</sup> rate. Timber, Ash,  
 Beech, Hickory, Wh. Oak &c. Under w.  
 Spice, Ash &c. The Timber is so uniformly  
 the same it is useless to repeat the growth  
 on every line and would analyze the  
 soil it would not much departs from



S. 23 N. N. 14 E. 2<sup>nd</sup> Mer. Ind. a

ch. 1<sup>st</sup> the last quality, called 3<sup>rd</sup> rate. In plain english this is a mean country and mean people live in it. I. W. I. S.

East on Random Between Sec. 1 & 12.

40.00 Set temp. g. sec. post.

80.59 Intersect N & S. line 8<sup>th</sup> 1/4 of post.

West correct line between Sec. 1 & 12.

40.29 Set g. sec. post. from which  
a Beech 12 in. dia. bears S 42 W 4<sup>th</sup> 1/4 dist. X  
a Do. 7 " " " N 30 E. 9 " "

80.59 Sec. cor.

North Between Sections 1 & 2.

3.87 a Sugar 10 in. diam.

32.25 a Branch 5<sup>th</sup> wide course N. W.

40.00 Set g. sec. post. from which  
a Hickory 14 in. dia. bears S 65 W. 21<sup>th</sup> 1/4 dist.  
a Beech 12 " " " N 30 E. 39 " "

67.04 a No. Oak 9 " "

80.22 Intersect N. Boundary or correction line  
& set post loc. to sec. 1 & 2, fr. which  
a Hickory 13 in. dia. bears N 22 W. 36<sup>th</sup> 1/4 dist.  
a Do. 14 " " " S 12 E. 22 " "  
Land, 2<sup>nd</sup> <sup>rate</sup> land Beech, Hickory Ash  
Sugar &c. And. Spice, Hazel &c.

North Between Sec. 34 & 35.

30.46 an Elm 30 in. diam.

40.00 Set g. sec. post. from which  
a Beech 10 in. dia. bears N 28 E. 25<sup>th</sup> 1/4 dist.  
a Do. 6 " " " S 42 W. 13 " "

45.83 a Wh. Oak 14 in. diam.

80.00 Set post loc. to sec. 26, 27, 34 & 35 fr. wh.  
an Elm 14 in. dia. bears S 67 W. 5<sup>th</sup> 1/4 dist. X

S. 23 N. N. 6. 14 E. 2<sup>nd</sup> Mer. Ind.

55

at 40

a Beech 12 in. dia. bears N 64 E. 41 lb. dist.  
Land, 3<sup>rd</sup> rate. &c.

---

East on Random betw<sup>en</sup> Secs 26 & 35.

40.00 Set temp. q. sec. post.

80.42 Intersect N & S. line 86 lb. N. of post.

---

West correct line between Secs 26 & 35.

40.21 Set q. sec. post from which

a Beech 12 in. dia. bears S 22 E. 6 lb. dist.

an Ash 10 " " " N 22 W. 13 " "

80.42 Sec. cor.

---

North Between Secs 26 & 27.

3.20 a Beech 10 in. diam.

40.00 Set q. sec. post. from which

a Beech 12 in. dia. bears N 87 W. 4 lb. dist. X

a Do. 7 " " " S 45 E. 23 " "

44.45 a Hickory 20 in. diam.

80.00 Set post cor. to Secs 22, 23, 26 & 27.

a Beech 12 in. dia. bears S 40 W. 47 lb. dist.

a Hickory 28 " " " N 42 E. 4 " "

Land, 3<sup>rd</sup> rate Dist. to correspond.

---

East on Random between Sections 23 & 26.

40.00 Set temp. q. sec. post.

63.00 a Branch 20 lb. wide course N. W.

66.50 a Do. 18 " " " S. W.

80.23 Intersect N. & S. line 92 lb. N. of post.

---

West correct line between Secs 23 & 26.

40.11 Set q. sec. post, from which

a Hickory 16 in. dia. bears N 11 E. 16 lb. dist. X

a Beech 12 " " " South. 27 " "

80.23 Sec. cor.

T. 23 N. R. 14 E. 2<sup>nd</sup> Mer. Ind. a.

Ch<sup>t</sup> M<sup>t</sup>

North Between Sections 22 & 23.

22.36 a Hickory 16 in. dia.

40.00 Set gr. Sec. post, from which  
a White Oak 36 in. dia. bears S 68 W. 26 lb. dist. &  
a W. Beech 6 " " " S 6 W. 10 " "

43.00 a Branch 22 lb. wide Course W.

44.90 a Beech 30 in. diam.

80.00 Set post cor. to Secs. 14, 15, 22 & 23. from wh.  
a Hickory 18 in. dia. bears S 23 W. 18 lb. dist. &  
an Elm 8 " " " S 74 E. 8 " "  
Land level 2<sup>nd</sup> rate.

East On Random between Secs. 14 & 23.

40.00 Set temp. gr. sec. post.

80.45 Intersect N & E. line 75 lb. N. of post.

West Corner line Between Secs. 14 & 23.

40.22 Set gr. sec. post, from which  
a Hickory 26 in. dia. bears S 80 W. 8 lb. dist.  
a Do. 7 " " " N 65 E. 2 " "

80.45 Sec. cor. Oct. 18<sup>th</sup> 1822.

North Between Secs. 14 & 15.

7.00 a Beech 10 in. diam.

40.00 Set gr. sec. post, from which  
a Beech 18 in. dia. bears N 20 W. 15 lb. dist. &  
a Do. 8 " " " S 37 E. 12 " "

59.40 an Ash 28 in. diam.

80.00 Set post cor. to Secs. 10, 11, 14, & 15, from wh.  
a Sugar 16 in. dia. bears N 52 W. 26 lb. dist. &  
a Hickory 14 " " " S. 23 E. 7 " "  
Land, level 2<sup>nd</sup> rate. Timber Beech  
Ash, Hickory Sugar &c.

East On Random between Secs. 11 & 14.

40.00 Set temp. gr. sec. post.

T. 23 N. Re. 14 E. 2<sup>nd</sup> Mer. Ind. <sup>57</sup>

Ch. Sh.

80.46 Intersect N & S. line 70 Mk. N. of post.

---

West Correct line between Sec. 11 & 14.

40.23 Set gr. sec. post, from which  
a Sugar 20 in. dia. bears S 28 E 26 lb. dist. X  
a Do. 14 " " " N 25 W. 25 " "

80.46 Sec. loc.

---

North Between Sections 10 & 11.

21.30 a yrh. Oak 30 in. diam.

40.00 Set gr. sec. post, from which  
a Beech 14 in. dia. bears S 94 W. 31 lb. dist. X  
a Do. 12 " " " N 10 E. 24 " "

44.00 a Beech 20 " "

80.00 Set post loc. to sec. 2, 3, 10 & 11. from wh.  
a Lym 14 in. dia. bears S 30 W. 33 lb. dist. X  
a Do. 13 " " " N 20 E. 31 " "  
Land & Timber same.

---

East On Random between Sec. 2 & 11.

40.00 Set temp. gr. sec. post,

52.50 a Branch 4 lb. wide course N.

80.36 Intersect N & S. line 50 lb. N. of post.  
Land & Timber as before.

---

West Correct line between Sec. 2 & 11.

40.18 Set gr. sec. post, from which  
a Beech 20 in. dia. bears S 13 W. 28 lb. dist.  
a Do. 6 " " " N 40 E. 18 " "

80.36 Sec. loc.

---

North Between Sec. 2 & 3.

18.70 a Beech 20 in. diam.

40.00 Set gr. sec. post from which  
a Beech 14 in. dia. bears S 2 E. 45 lb. dist. X  
a Do. 12 " " " N 5 E. 3 " "



S. 23 N. R. 14 E. 2<sup>nd</sup> Mer. Ind. a  
Ch. Sh.

57.40 a Beech 14 in. diam.  
79.04 Intersect North Boundary and Set  
a post cor. to Sect. 2 & 3, from which  
a Beech 22 in. dia. bears N 29 E 24 lb. dist.  
a Do. 12 " " " S 41 W. 6 " "  
Land 3<sup>rd</sup> rate. Oct. 21<sup>st</sup> 1822.

North Between Sec. 33 & 34.

.40 a stream 30 lb. and a Course N. W.  
5.25 a Beech 20 in. diam.  
40.00 Set gr. Sec. post. from which  
a Sugar 13 in. dia. bears S 49 E. 13 lb. dist. &  
a Do. 14 " " " " S 49 W. 39 " "  
60.20 a Beech 22 in. dia.  
80.00 Set post cor. to sec. 27, 28, 33 & 34, from wh.  
a Beech 13 in. dia. bears N 2 E. 20 lb. dist. &  
an Ash 10 " " " " S 45 E. 31 " "  
Land, level first half mile 2<sup>nd</sup> rate.  
Last half 3<sup>rd</sup> rate. Beech Hickory  
Elm & Spice. Swamp Ash &c.

East at Random between Sec. 27 & 34.

40.00 Set temp. gr. Sec. post.  
80.24 Intersect N & S. line 79 lb. N. of post.

West Correct line between Sec. 27 & 34.

40.12 Set gr. sec. post. from which  
an Elm 14 in. dia. bears S 23 E. 37 lb. dist.  
a Do. 11 " " " " N 72 W. 16 " "  
80.24 Sec. cor.

North Between Sections 27 & 28.

3.00 a Hickory 10 in. diam.  
40.00 Set gr. Sec. post. from which  
an Elm 12 in. dia. bears S 8 E. 11 lb. dist. &  
a Wh. Oak 9 " " " " N 53 W. 26 " "

S. 23 N. 16. 14 E. 2<sup>nd</sup> Mer. Ind. a<sup>59</sup>

Ch. 4k?

52.54 a Beech 22 in. diam.  
57.86 a Do. 15 " "  
80.00 Set post loc. to sec. 21, 22, 27 & 28, fr. wh.  
a Hickory 20 in. dia. bears N 49 E. 39 lb. dist.  
a B. Oak 14 " " " N 63 W. 43 " "  
Land, 3<sup>rd</sup> rate.

---

East on Meander Between Sec. 22 & 27.  
40.00 Set gr. sec. post temp.  
80.42 Intersect N & S. line 90 lb. N. of post.

---

West correct line Between Sec. 22 & 27.  
40.21 Set gr. sec. post. from which  
a Hickory 20 in. dia. bears N 47 E. 1 lb. dist.  
a Beech 9 " " " S 66 E. 20 " "  
80.42 Sec loc.

---

North Between Sec. 21 & 22.  
15.75 a Beech 18 in. diam.  
33.30 a Do. 15 " "  
40.00 Set gr. sec. post. from which  
a Beech 10 in. dia. bears N 66 E. 4 lb. dist. &  
a Do. 6 " " " S 57 W. 33 " "  
57.00 a Branch 30 lb. wide course W.  
59.96 a Hickory 10 in. diam.  
80.00 Set post loc. to Sec. 15, 16, 21 & 22, fr. wh.  
a Beech 12 in. dia. bears N 75 W. 21 lb. &  
a Do. 9 " " " S 83 E. 15 " dist.  
Land, level 2<sup>nd</sup> rate.

---

East on Meander Between Sec. 15 & 22.  
40.00 Set temp. gr. sec. post.  
80.56 Intersect N & S. line 83 lb. N. of post  
Land, 3<sup>rd</sup> rate.

---

West correct line between Sec. 15 & 22.

S. 23 N. R. 14 E. 2<sup>nd</sup> Mer. and a

cht. 4th.

40.28 set gr. sec. post. from which  
an Ash 26 in. dia. bears S 86 E. 23 lb. dist. X  
a Do. 7 " " " N 82 W. 20 " "  
80.50 Sec. loc.

North Between Sec. 15 & 16.

7.75 a Beech 20 in. diam.  
40.00 Set gr. sec. post. from which  
a Beech 18 in. dia. bears N 6 E. 15 lb. dist. X  
a Do. 10 " " " S 36 E. 8 lb. dist.  
45.46 a Beech 13 in. diam.  
80.00 Set post loc. to Sec. 9, 10, 15 & 16, fr. wh.  
a Lym 6 in. dia. bears S 41 W. 10 lb. dist. X  
a Hickory 6 " " " N 55 E. 31 " "  
Land, 3<sup>d</sup> rate, 2<sup>nd</sup> quality.

East An Random between Sec. 15 & 10.

40.00 Set temp. gr. sec. post.  
80.30 Intersect N & E line 90 lb. N. of post.  
Land, 3<sup>d</sup> rate 2<sup>nd</sup> quality.

West correct line between Sec. 15 & 10.

40.15 Set gr. sec. post. from which  
a Beech 12 in. dia. bears S 52 E. 13 lb. dist. X  
a Do. 10 " " " N 6 E. 21 " "  
80.30 Sec. loc. Oct. 22<sup>nd</sup> 1822.

North Between Sec. 9 & 10.

4.83 a Hickory 10 in. diam.  
40.00 Set gr. sec. post. from which  
a Beech 12 in. diam. bears S 58 W. 24 lb. dist.  
a Do. 12 " " " N 37 E. 23 " "  
54.70 a Beech 18 " "  
80.00 Set post loc. to Sec. 3, 4, 9 & 10, fr. which  
a Maple 16 in. dia. bears S 16 E. 48 lb. dist. X  
an Ash 8 " " " N 41 W. 15 " "

61

S. 23 N. S. 14 E. 2<sup>nd</sup> " Mer. Ind a

Ch. Lk. Land, level 3<sup>d</sup> rate. 1 Beech, Ash, Hickory  
Wh. Oak &c.

---

East On Haddon between Sec. 3 & 10.

40.00 Set temp. g. sec. post.

80.31 Intersect 1<sup>st</sup> & L. line 55. lks. N. of post.  
Land, 2<sup>nd</sup> rate.

---

West Correct line between Sec. 3 & 10.

40.15 Set g. sec. post. from which  
a Beech 16 in. dia. bears N 9 E. 14 lks. dist. &  
a Do. 12 " " " S 55 W. 4 " "

80.31 Sec. Hor.

---

North Between Sec. 3 & 4.

8.00 a Beech 20 in. diam.

36.00 a Branch 6 lks. wide course N. W.

40.00 Set g. sec. post. from which  
a Beech 14 in. dia. bears N 26 W. 20 lks. dist. &  
a Do. 9 " " " S 17 W. 8 " "

44.30 a Branch 6 lks. wide course N. E.

54.80 a Beech 15 in. diam.

79.20 Intersect N. boundary & set post corner  
to sec. 3 & 4, from which

an Ash 10 in. dia. bears N 15 E. 3 lks. dist. &  
a Do. 8 " " " S 29 E. 12 " "

Land, 3<sup>d</sup> rate. Oct. 24<sup>th</sup> 1822.

---

North Between Sec. 32 & 33.

11.20 a Beech 18 in. diam.

26.00 a No. Oak 36 " "

40.00 Set g. sec. post. from which  
an Ash 18 in. dia. bears N 41 W. 23 lks. dist. &  
a Hickory 14 " " " South 2 " "

48.50 a Beech 22 " "

75.19 Set post to sec. 28, 29, 32 & 33, from which



62)

T. 23 N. R. 14 E. 2<sup>nd</sup> Mer. Ind.

ch. Lk.	<p>a Beech 16 in. dia. bears S 41 W. 31 lb. dist. X</p> <p>a Sugar 18 " " " S 70 E. 4 " "</p> <p>Land, level &amp; 2<sup>nd</sup> rate. Lim. same.</p>
East	<p>on Meander between Sec. 28 &amp; 33.</p> <p>22.75 a Spring draft 3 lb. wide course N.</p> <p>39.65 a Branch 20 lb. wide course N. W.</p> <p>40.00 Set temp. gr. Sec. post.</p> <p>80.17 Intersect N. &amp; S. line 60 lb. N. of post.</p>
West	<p>Correct line between Sec. 28 &amp; 33.</p> <p>40.08 Set gr. Sec. post. from which</p> <p>a Hickory 11 in. dia. bears North 34 lb. dist. X</p> <p>a W. Beech 16 " " " S 64 E. 8 " "</p> <p>80.17 Sec. Cor.</p>
North	<p>Between Sec. 28 &amp; 29.</p> <p>.98 an Ash 8 in. diam.?</p> <p>11.70 a Branch 20 lb. wide course N. W.</p> <p>20.08 a Maple 20 in. diam.</p> <p>40.00 Set gr. Sec. post. from which</p> <p>a Maple 22 in. dia. bears S 5 E. 5 lb. dist. X</p> <p>a Beech 9 " " " N 5 W. 5 " "</p> <p>54.20 a Do. 14 " "</p> <p>80.00 Set post. cor. to Sec. 20, 21, 28 &amp; 29, fr. wh.</p> <p>an Elm 28 in. dia bears N 31 W. 14 lb. dist. X</p> <p>a Beech 7 " " " S 24 E. 23 " "</p> <p>Land, level 3<sup>rd</sup> rate.</p>
East	<p>on Meander between Sec. 21 &amp; 28.</p> <p>40.00 Set gr. Sec. post. (Temporary)</p> <p>80.27 Intersect N. &amp; S. line 15 lb. N. of post.</p> <p>Land &amp; Limb. Same.</p>
West	<p>Correct line between Sec. 21 &amp; 28.</p> <p>40.13 Set gr. Sec. post. from which</p>

P. 23 N. Re. 14 E. 2<sup>nd</sup> Mer. Ind.<sup>a</sup> 63

ch. 1st a Hickory 16 in. dia. bears S 84 W. 14 bl. dist. X  
 a Jute 10 " " " N 72 E. 22 " "  
 80.27 Sec. Cor.

North Between Sections 20 & 21.

15.30 an Ash 18 in. diam.  
 32.00 a Branch 25 bl. wide course N. W.  
 40.00 Set gr. sec. post. from which  
 a Buckeye 12 in. dia. bears N 84 E. 24 bl. dist. X  
 a Hickory 7 " " " S 82 W. 10 " "  
 a Hickory 22 in. diam. for cor. post.  
 42.80 a Do. 14 " "  
 80.00 Set post cor. to Sec. 16, 17, 20 & 21, from which  
 an Elm 3 1/2 in. dia. bears N 85 E. 14 bl. dist. X  
 a Hickory 8 " " " N 46 W. 38 " "  
 Land, level 3<sup>rd</sup> rate. Timber, Beech,  
 Hickory, Ash, Elm, &c. and, yth. Spruce  
 Sw. Ash &c.

East On Handson between Sections 16 & 21.

40.00 Set temp. gr. sec. post.  
 80.41 Intersect N & S line 38 bl. S. of post.

West Correct line between Sections 16 & 21.

40.20 Set gr. sec. post. from which  
 a Beech 8 in. dia. bears S 70 W. 3 bl. dist. X  
 an Ash 6 " " " N 78 E. 30 " "  
 80.41 Sec. cor.

North Between Sections 16 & 17.

12.27 a Beech 14 in. diam.  
 40.00 Set gr. sec. post. from which  
 a Maple 3 1/2 in. dia. bears N 60 W. 14 bl. dist. and  
 a Beech 13 " " " S 40 E. 17 " "  
 44.85 a Do. 9 " "  
 80.00 Set post cor. to Sec. 8, 9, 16 & 17, from which

S. 23 N. 14 E. 2<sup>nd</sup> Mer. Ind. a

Ch. W. a Hickory 16 in. dia. bears S 82 E. 7 1/2 lb. dist.  
an Ash 5 in. dia. " S 79 W. 22 " "  
Land, level 3 3/4 rate.

East On Meridian between Secs. 9 & 16.

40.00 Set temp. gr. sec. post.

80.55 Intersect N. & S. line 23 lb. S. of post.

West Correct line between Secs. 9 & 16.

40.27 Set gr. sec. post from which  
a Beech 13 in. dia. bears N 59 E. 5 1/2 lb. dist. X  
a Do. 12 " " " S 59 W. 28 " "

80.55 Sec. cor. Oct. 23<sup>rd</sup> 1822.

North Between Sect. 8 & 9.

20.40 an Elm 9 in. diam.

40.00 Set gr. sec. post, from which  
an Ash 16 in. dia. bears N 80 W. 2 1/2 lb. dist. X  
a Wh. Oak 10 in. dia. " S 64 E. 35 " "

74.92 a Do. 26 " "

80.00 Set post, cor. to Secs. 4, 5, 8 & 9, from which  
a Beech 12 in. dia. bears S 28 W. 28 lb. dist. X  
a Do. 11 " " " N 18 W. 7 " "  
Land 3 3/4 rate.

East On Meridian between Secs. 4 & 9.

40.00 Set temp. gr. sec. post.

80.70 Intersect N & S. line 6 lb. S. of post.  
Land, 3 3/4 rate.

West Correct line between Secs. 4 & 9.

40.35 Set gr. sec. post, from which  
a Beech 12 in. dia. bears S 39 E. 19 lb. dist. X  
a Do. 11 " " " N 87 W. 36 " "

80.70 Sec. cor.

S. 23. N. Re. 14 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup> 65

ch. 200?

North Between Sect. 4 & 5.

36.47 an Elm 16 in. diam.

40.00 Set gr. sec. post. from which  
a Beech 12 in. dia. bears N 54 W. 3<sup>1</sup>/<sub>2</sub> lh. dist. X  
a Do. 10 " " " S 18 E. 15 " "

67.75 a Branch 5 lh. wide course N. E.

71.80 an Ash 16 in. diam.

79.94 Intersected line of correction and established  
corner for Sect. 4 & 5, from which  
a Sugar 10 in. dia. bears S 25 W. 31<sup>1</sup>/<sub>2</sub> lh. dist. X  
an Ash 6 " " " N 57 E. 6 " "  
Land 3<sup>1</sup>/<sub>2</sub> rate. Oct. 24<sup>th</sup> 1822.

---

North Between Sect. 31 & 32.

3.42 an Ash 14 in. diam.

21.60 a Branch 15 lh. wide course N. W.

40.00 Set gr. sec. post. from which  
a Beech 14 in. dia. bears S 60 W. 25 lh. dist. X  
a Do. 12 " " " N 69 E. 14 " "

42.75 a Hickory 24 in. diam.

80.00 Set post cor. to sect. 29, 30, 31 & 32. fr. wh.  
a Buckeye 14 in. dia. bears S 45 W. 13 lh. dist.  
white wood 6 " " " N 88 E. 3<sup>1</sup>/<sub>2</sub> lh. dist.  
Land and Timber ~~~~~

---

East On Random between Sect. 29 & 32.

40.00 Set temp gr. sec. post.

79.65 Intersect N & E. line 20 lh. N. of post.

---

West Correct line Between Sect. 29 & 32.

39.82 Set gr. sec. post from which  
a wh. Oak 24 in. dia. bears S 30 W. 44 lh. dist. X  
a Hickory 14 " " " S 29 E. 29 " "

79.65 Sec. cor.

---

West Between Sect. 30 & 31.



66 S. 23 N. N. 14 E. 2<sup>nd</sup> Mer. Ind.

Ch. M?

- 6.40 a Wh. Oak 12 in. diam.  
 40.00 set gr. sec. post. from which  
 an Ironwood 7 in. dia. bears N 46 E. 21 lb. dist. X  
 a Sugar 6 " " " N 67 W. 8 " "  
 41.13 a Wh. Oak 24 " "  
 48.38 a Branch 10 lb. wide course N.  
 81.75 a Beech 12 in. diam.  
 98.29 Intersect W. Boundary 170 lb. N. of post. X  
 set post lev. to sec. 30 & 31, from which  
 an Ash 18 in. dia. bears S 42 E. 25 lb. dist. X  
 a Beech 20 " " " N 29 W. 10 " "  
 Land, rolling & poor.

North Between Sections 29 & 30.

- 1.00 a Wh. Oak 48 in. diam.  
 38.00 a Stream 26 lb. wide course W.  
 40.00 set gr. sec. post. from which  
 a Sugar 9 in. dia. bears N 78 E. 13 lb. dist. X  
 a Do. 7 " " " N 61 W. 7 " "  
 46.65 an Elm 15 in. diam.  
 80.00 set post lev. to sec. 19, 20, 29 & 30, fr. which  
 a Beech 15 in. dia. bears S 57 E. 37 lb. dist. X  
 a Do. 13 " " " N 18 W. 7 " "  
 Land, poor.

East On Meander bet<sup>er</sup> sec. 20 & 29.

- 40.00 set temp. gr. sec. post.  
 52.30 a Branch 20 lb. wide course S.  
 52.50 Enter small prairie  
 57.50 Leave do. do.  
 79.75 Intersect N & S line 8 lb. S. of post.

West correct line between sec. 20 & 29.

- 39.84 set gr. sec. post. from which  
 a Beech 12 in. dia. bears S 3 E. 5 lb. dist. and  
 an Elm 14 " " " N 9 E. 12 " "

S. D. R. R. 14 E. 2<sup>nd</sup> Mer. Incl. <sup>67</sup>

Ch. 1/4

79.75 Sec. loc.

West Between Sections 19 & 20.

20.88 a Beech 15 in. diam.

40.00 Set gr. sec. post, from which  
a Wh. Oak 36 in. dia. bears S 15 E. 5 lb. dist. X  
a Do. 14 " " " N 88 W. 19 " "

42.25 a Do. 24 " "

64.86 a Hickory 10 in. diam.

73.84 a Spring draft house S. W.

99.46 Intersect W. Boundary. 85 lb. N. of post X  
Set post loc. to Sec. 19 & 20, from which  
a Sugar 15 in. dia. bears N 65 E. 15 lb. dist. X  
a Beech 12 " " " S 69 W. 15 " "

Land, Roosting and 2<sup>nd</sup> rate. Beech  
Ash, Hickory, Sugar, Oak &c. and  
8th. of Spice Ash and Lionwood.

North Between Sections 19 & 20.

15.01 an Elm 48 in. diam.

37.52 a Do. 42 " "

40.00 Set gr. sec. post, from which  
a Buckeye 12 in. dia. bears S 63 E. 23 lb. dist.  
an Ironwood 6 " " " S 78 W. 8 " "

42.54 a Hickory 28 " "

80.00 Set post loc. to Sec. 17, 18, 19 & 20, fr. wh.  
an Elm 28 in. dia. bears S 79 E. 12 lb. dist.  
a Hickory 14 " " " N 82 W. 35 " "  
Land, 3<sup>rd</sup> rate.

East On Meridian between Sec. 17 & 20.

40.00 Set temp. gr. sec. post.

80.16 Intersect N & E line 4 lb. N. of post.

West Correct line between Sec. 17 & 20.

40.08 Set gr. sec. post, from which

S. 23 N. R. 14 E. 2<sup>nd</sup> Mer. Ind. a

Ch. 4<sup>th</sup>

an Elm 36 in. dia. bears N 21 E. 3<sup>1</sup>/<sub>2</sub> lks. dist. X  
a Do. 20 " " " S 21 W. 46 " "  
80.16 Leo. loc.

West

Between Sec. 18 & 19.

7.49 a Hickory 14 in. diam.

40.00 Set q. sec. post. from which  
a Beech 12 in. dia. bears N 43 E. 14 lks. dist. X  
a Hickory 10 " " " S 74 W. 19 " "

45.00 a Wh. Oak 30 in. "

96.52 Intersect W. Boundary 50 lks. N. of post X  
Set post loc. to Sec. 18 & 19. from which  
a Beech 12 in. dia. bears S 27 W. 20 lks. dist. X  
a Do. 11 " " " N 63 E. 30 " "  
Land, level part inclining to wet 3<sup>rd</sup> rate.

North

Between Sec. 17 & 18.

20.70 a Beech 10 in. dia.

40.00 Set q. sec. post. from which  
an Elm 30 in. dia. bears S 86 W. 15 lks. dist. X  
a Hickory 20 " " " N 58 E. 11 " "

55.08 a Beech 20 " "

80.00 Set post loc. to Sec. 7, 8, 17 & 18, from which  
a Sugar 12 in. dia. bears N 61 E. 13 lks. dist. X  
a Beech 10 " " " S 33 W. 34 " "  
Land, level inclining to wet.

East

On Random between Sec. 8 & 17.

40.00 Set temp. q. sec. post.

80.34 Intersect N. & S. line 15 lks. E. of post.  
Land, 2<sup>nd</sup> rate.

West

Correct line between Sec. 8 & 17.

40.17 Set q. sec. post. from which  
an Elm 10 in. dia. bears S 63 W. 7 lks. dist. X  
a Beech 8 " " " S 5 E. 9 " "

69

S. 23 N. R. 14 E. 2<sup>nd</sup> Mer. Ind. a

Ch. 2<sup>nd</sup>

80.34 Sec. cor.

West Between Sections 7 & 18.

6.20 a Beech 13 in. diam.

40.00 Set q. sec. post from which  
a Hickory 12 in. dia. bears S 57 W. 17 lb. dist. &  
a Do. 10 " " " N 57 E. 27 " "

45.37 an Elm 12 " "

76.42 a Beech 18 " "

96.00 Intersect W. Boundary, 59 lb. N. of post.  
& set post loc. to Sect. 7 & 18, from which  
a Beech 18 in. dia. bears S 88 W. 12 lb. dist. &  
a Do. 12 " " " S 41 E. 19 " "  
Land & Timber: as before.

North Between Sections 7 & 8.

2.54 a Beech 15 in. diam.

40.00 Set q. sec. post, from which  
a Beech 18 in. dia. bears East. 4 lb. dist. &  
a Do. 13 " " " S 45 W. 31 " "

43.64 a Hickory 10 in. diam.

53.00 a Wh. Oak 42 in. "

80.00 Set post loc. to Sect. 5, 6, 7 & 8, from which  
a Beech 26 in. dia. bears N 47 E. 31 lb. dist. &  
a Do. 9 " " " S 4 W. 20 " "  
Land and Timber. —

East An Random between Sect. 5 & 8.

40.00 Set temp. q. sec. post.

80.39 Intersect N & E line 25 lb. S. of post.

West Correct line between Sect. 5 & 8.

40.19 Set q. sec. post, from which  
a Beech 10 in. dia. bears N 39 W. 2 lb. dist. &  
a Do. 9 " " " S 25 W. 45 " "

80.39 Sec. cor.



T. 23 N. R. 14 E. 2<sup>nd</sup> Mer. Ind.

Ch. 1<sup>st</sup> 10<sup>th</sup>

West Between Sections 6 & 7.

12.80 an Ash 15 in. diam.

23.72 a Walnut 18 in. dia.

40.00 Set gr. sec. post, from which  
a Beech 22 in. dia. bears N 28 E, 41 lbs. dist.  
a Do. 9 " " " S 21 E, 19 " "

66.18 a H. Oak 36 in. diam.

95.92 Intersect N. 1 Boundary 8 lbs. S. of post.  
& Set post cor. to Sec. 6 & 7. from which  
a Beech 18 in. dia. bears N 60 E, 23 lbs. dist.  
a Do. 14 " " " S 47 W, 36 " "  
Land, level 2<sup>nd</sup> rate Beech, Hickory,  
Sugar Ash Spice and Ironwood.

North Between Sections 5 & 6.

21.48 a Beech 12 in. diam.

40.00 Set gr. sec. post, from which  
an Ash 8 in. dia. bears S 27 W, 22 lbs. dist. &  
a Beech 8 " " " N 49 E, 9 " "

47.35 an Elm 40 " "

77.13 a H. Oak 30 in. diam.

79.11 Intersect line of correction & Set post  
cor. to Sec. 5 & 6, from which  
a Beech 12 in. dia. bears N 4 W, 7 lbs. dist. &  
a Do. 13 " " " S 10 W, 9 " "

Land, level 3<sup>rd</sup> rate. &c.

Oct. 26<sup>th</sup> 1822 Surveyed by  
John Herdicks, Jr.

T. 23 N. R. 14 E. 2<sup>nd</sup> Mer. Ind. a 71

I certify that the foregoing transcripts  
of the field notes of Township 23 N.  
Range 14 East 2<sup>nd</sup> Meridian Indiana  
has been compared with the Original  
in this office & found to be correct.

Surveyor General's Office.

March 14<sup>th</sup> 1845, Cincinnati.

William Johnston  
Sur. Genl.